

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S31	663	(SIP near3 (server or proxy)) with (SIP near3 (signal\$4 or handshak\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:23
S32	15	(SIP near3 (server or proxy)) with (SIP near3 (signal\$4 or handshak\$3)) same (IP near3 PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:24
S33	0	S32 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:24
S34	69	(SIP near3 (server or proxy)) with (peer\$1to\$1peer or master\$1slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:34
S35	25	S34 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:35
S36	1	(SIP near3 (server or proxy)) with (PDSV near3 IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:38
S37	1	(SIP near3 (server or proxy)) same (PDSV near3 IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:39
S38	2	(SIP near3 (server or proxy)) same (PDSV)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:39
S39	45	(SIP near3 (server or proxy)) with (IP same (IP near3 PBX))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:46

S40	5	S39 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:46
S41	28	(SIP near3 (server or proxy)) same (SIP near3 (agent)) same (convert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:48
S42	14	S41 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:48
S43	11	(SIP near3 (server or proxy)) same (SIP near3 (agent)) same (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:49
S44	5	S43 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/02 22:49
S45	11	(SIP near3 (server or proxy)) same (SIP near3 (agent)) same (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:20
S46	2	(SIP near3 (server or proxy)) near5 (convert\$5) near3 (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:20
S47	20	(SIP near3 (server or proxy)) same ((PBX) with (SIP near3 (set or agent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:20
S48	7	(PBX near3 convert\$5 near3 SIP) same (IP or internet or LAN or WAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:20
S49	5	(S45 or S46 or S47 or S48) and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:23

S50	34	(SIP near3 (server or proxy)) same (agent) same (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:31
S51	29	S50 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:32
S52	3	S51 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:32
S53	231	(SIP near3 (server or proxy)) with (conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:33
S54	4	((SIP near3 (server or proxy)) with (conver\$5)) same PBX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:33
S55	0	S54 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:39
S56	84	(SIP near3 (server or proxy)) with (conver\$5) with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:39
S57	20	S56 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:40
S58	18	(SIP near3 (server or proxy)) with (map\$4 or redirect\$3) same PBX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:47
S59	13	S58 and (@ad<"20021231" or @ptad<"20021231" or @rlad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:48

S60	564	((SIP near3 (server or proxy)) with (map\$4 or redirect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:49
S61	151	((SIP near3 (server or proxy)) with (map\$4 or redirect\$3)) same (gateway or bridge or router or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:50
S62	59	S61 and (@ad<"20021231" or @ptad<"20021231" or @riad<"20021231")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/04 14:50

3/ 4/ 2008 3:40:45 PM

C:\Documents and Settings\blee6\My Documents\EAST\Workspaces\10741306.wsp